

# Amphibious Ship Programs 21 May 2008

Amphibious Ship Programs Section POE-50, PP&O

Maj Juan Ortiz, USMC juan.m.ortiz@usmc.mil



### **Amphibious Ship**

- Amphibious Lift Shipbuilding Position
- Programs:
  - Current Ship Inventory
  - Big Deck Programs (LHD-8 / LHA-6 / Future Big Decks)
  - LPD-17
  - LSD
- Other Related:
  - Amphib OAG (3-5 Jun / Norfolk)
  - Ship Weight and Stability Working Group
  - Ship to Shore Connectors
  - Studies



# Amphibious Ship MPF(F) Shinbuilding Position

MROC DECISION MEMO 08-2007

- The Marine Corps operational lift requirement (minimum) is 2.0 amphibious MEB Assault Echelons and 1.0 MPF(F) and Legacy MPSRONs\*.
- A total of 30 Operational Available (Ao) amphibious ships (i.e., 10 Ao LHD-1/LHA-6 Class Ships, 10 Ao LPD-17 Class Ships, and 10 Ao LSD 41/49 Class Ships) are required to support the 2 MEB Assault Echelon forcible entry force directed by the Strategic Planning Guidance (SPG). The actual number of fleet ships must be larger than 10-10-10, since not all ships will be operationally available at any one time. Thus, 11-11-11 mix is the stated USMC position for amphibious ships.



#### **AMPHIB LIFT**

#### SO WHAT?

- 33 SHIPS GET YOU 30.
- 5 Big Deck estimate didn't include
- ONE MEB equals 15 ships (5 Big Decks, 5 LPD-17's and 5 LSDs)

Data that determined this ship mix was a pre-OIF - Two MEBs = 30 Shi equip set (no annot of other successions). JLTV, EFV and other future equipment

- AE Lift Competes with Presence Ops:
  - Maritime Missions (5th Flt)
  - **Normal MEU Deployments**
  - Theater Security Engagement West Coast ESG Deployed: 3

Can we deploy a MEB in total from one coast?

Key is that we must be able to aggregate forces on the front end to meet deployment requirements.

#### Consider the following:

- -One East Coast ESG Deployed: 3 ships
- ships
- -FDNF Sasesebo: 4 ships
- -Notional Maritime mission/TSC: 2 ships
- -Ships in maintenance: 3 ships

#### **Amphibious Fleet J**ormation


**Operations from 1-5 miles off beach** 

**STS** 

Mobilit

y Triad Status Based Operations from 25+ miles

1990



First Class Warships


**Enable Operational Maneuver From The Sea and Ship To Objective Maneuve** 

**Enhanced Capabilities:** 

- **Seabasing Platforms**
- LCAC, EFV
- MV-22, JSF
- **Improved Self-Defense**
- Improved C4I

2015









1179



# Current Amphib Ship Inventory

- We do not currently meet the stated 30 Ao 2.0 MEB Lift Requirement.
  - Only 31 ships and includes Legacy LHA-1s and LPD-4s.
- Current amphibious shipping experiencing weight and stability concerns. Over 70% of amphibious ships have been assigned a stability restriction.
- C4 and space modernization issues.
- ESG office and habitability space concerns.
- LHA-1's aren't programmed to receive any JSF ship alts.



# Amphibs East Coast /Atlantic

- NASSAU (LHA 4)
- WASP (LHD 1)
- KEARSARGE (LHD 3)
- BATAAN (LHD 5)
- IWO JIMA (LHD 7)
- NASHVILLE (LPD 13)
- PONCE (LPD 15)
- SAN ANTONIO (LPD 17)
- MESA VERDE (LPD 19)
- WHIDBEY ISLAND (LSD 41)
- FT MCHENRY (LSD 43)
- GUNSTON HALL (LSD 44)
- ASHLAND (LSD 48)
- CARTER HALL (LSD 50)
- OAK HILL (LSD 51)

### Atlantic Fleet Inventory:

- -4 LHD
- -1 I HA
- -2 LPD-4
- -2 LPD-17
- -4 LSD-41
- -2 LSD-49
- 15 Total Amphib Ships



# Amphibs West Coast/Pacific

- TARAWA (LHA 1)
- PELELIU (LHA 5)
- ESSEX (LHD 2) \*
- BOXER (LHD 4)
- BONHOMME RICHARD (LHD 6)
- CLEVELAND (LPD 7)
- DUBUQUE (LPD 8)
- DENVER (LPD 9)
- JUNEAU (LPD 10) \*
- USS NEW ORLEANS (LPD 18)
- GERMANTOWN (LSD 42)
- COMSTOCK (LSD 45)
- TORTUGA (LSD 46) \*
- RUSHMORE (LSD 47)
- HARPERS FERRY (LSD 49)\*
- PEARL HARBOR (LSD 52)
   Sasebo

#### Pacific Fleet Inventory:

- -3 LHD
- -2 LHA
- -4 LPD-4
- -1 LPD-17
- -4 LSD-41
- -2 LSD-49
- 16 Total Amphib Ships

\*FDNF -



### Shipbuilding/Procurement

LHD 8 MAKIN ISLAND Deliver FY09

LPD 20 GREEN BAY Deliver Oct 08

LPD 21 NEW YORK Deliver Jun 09

LPD 22 SAN DIEGO Deliver Aug 10

LPD 23 ANCHORAGE Deliver Feb 11

LPD 24 ARLINGTON Deliver Aug 11

LPD 25 SOMERSET Deliver Oct 11

Updated as of May 2008

Commissionings are scheduled approximately 3 months after delivery.



## **Big Deck Program**

- LHD-8 Makin Island
- LHA-6
- LHA-7 and LHA-8 in MPF(F) or AE?
- LHA-9
- LHD(X)



#### **LHD-8 MAKIN ISLAND**

- LHD 8 to be assigned to West Coast.
- Start of Construction: 22 May 03
- Christening Ceremony 19 Aug 2006
- Delivery Date plagued by delays; should of delivered last year. Katrina and Union Delays were causes for delay. Latest delay is massive wiring discrepancy throughout platform. New delivery date is second quarter of 2009 (Spring/Summer 2009)
- Major changes: Elimination of steam through the introduction of gas turbine





### LHA Replacement



- The last of the four TARAWA class LHAs reach the end of it's service life in 2015\*
- LHA(R) program
   originally developed to
   replace remaining LHA 1 Class Ships (4 ship
   build)

Concepts and Programs "Refining the program of record to a more affordable platform with maximum warfighting capability."



# LHA-6 (LHA(R)) Take Aways?

- Increased Aviation Capabilities
  - MV-22 / JSF
  - Maint Capability (2 Maint Hi Hat Areas)
  - Fuel
- No Well Deck
  - Limited to Vertical Lift Items Only
  - May increase reliance on CH53 for external lifts
- Decrease SQFT (vertical lift only items)
- Decreased Medical Capability
- Prelimenary analysis shows that this platform works well in an MCO (MEB) scenario; however, limits operational flexibility in an LCO and MEU/ESG deployment scenario.



## Latest on LHA (R)

#### **2009 Shipbuilding Plan**

- LHA-6 slated for the AE.
  - FY06/FY07 Procurement (split funded)
- LHA-7 and LHA-8 slated for MPF(F) \*\*
  - LHA-7 FY10 Procurement
  - LHA-8 FY14 Procurement
- LHA-9 slated for the AE.

## POM-10 Draft Latest USN Perspective

 All LHA-6 Class assigned to AE

#### Pros:

-Provides modern big decks to replace legacy LHA-1 Class Ships.

#### Cons:

- -Leaves MPF(F) without new shipbuild big decks.
- -LHA-6 and LHA-7 will not have well decks.
- USMC standing up Well Deck Analysis Working Group to provide analytical requirements to install the well deck into LHA-8 and LHA-9. Well Deck Analysis to be completed by Nov 2008. Stakeholders: CD&I, PP&O, and P&R.



# LPD-17 Program Highlights

- 3 of programmed 9 ships have been delivered.
- USMC Requirement is 11 LPD-17 Ships.
- Congress (HASC) favorably views requirement for 10<sup>th</sup> and 11<sup>th</sup> LPD-17s.
- 10<sup>th</sup> LPD-17 was the USMC's #1 unfunded priority.
- Some working shipbuilding budgets reflect the procurement of the 10<sup>™</sup> LPD-17 if supplemental is received.



## LPD 17 Lead Ship Snapshot

- **•USS SAN ANTONIO (LPD-17)**
- •LPD-17 Commissioned and Homeported at Norfolk, VA.
- Delivered uncompleted.
- Post Shake Down Availability during summer 07 to complete unfinished work and discrepancies noted during INSURV earlier this Spring.
- •OPEVAL scheduled for Early 08.
- Scheduled to deploy in 2008.
- **•USS NEW ORLEANS (LPD-18)**
- Delivered uncompleted.
- •Availability during summer 07 to complete unfinished work.
- Currently conducting CSQT in Hawaii.
- **•USS MESA VERDE (LPD-19)**
- •Commissioned Dec 15, 2007 (Panama City, FL)
- Delivered completed.
- Homeported in Norfolk, VA

LPD-17 Completed OPEVAL Mar 2008





Original LPD-17 Program quantity was 12; currently on 9 ships in the shipbuilding plan.



#### LPD 4 - LPD 17 Transition

(As of 27 July 2007)

ExtendedSustainability

LPD 17 Class delivery

dates



	FMS	FY04	FY05	FY06	FY07	FY08	FY09	FY10	FY11	FY12
LPD 4 AUS		1	1	Decom						
LPD 5 OGD	YES	1	1	1	Decom					
LPD 6 DUL		1	Decom							
LPD 7 CLE		1	1	1	1	1	1	Decom		
LPD 8 DUB		1	1	1	1	1	1	1	1	Decom
LPD 9 DEN		1	1	1	1	1	1	1	1	1
LPD 10 JUN		1	1	1	1	1	Decom			
LPD 12 SHR		1	1	1	Decom					
LPD 13 NAS		1	1	1	1	1	Decom			
LPD 14 TRE	YES	1	1	1	Decom					
LPD 15 PON		1	1	1	1	1	1	1	1	Decom
LPD 17 SAN			1	1	1	1	1	1	1	1
LPD 18 NOR					Dec06	1	1	1	1	1
LPD 19 MVD					Sep07	1	1	1	1	1
LPD 20 GBY						Aug08	1	1	1	1
LPD 21 NYK							May09	1	1	1
LPD 22 SDG								Jun10	1	1 1 7
LPD 23 ANC									Oct10	1 /
			<u> </u>							



# LPD-17 Take Aways

- Increased Aviation Maint Capacity
  - Hangar Bay
- Increased Surface Asslt Capacity
  - 2 LCACs vice 1 LCU w/LPD-4 Class
- Increased SQFT Capacity (almost double LPD-4)
- Increased Medical Capability
- Berthing / Pax Traversing Considerations
- MOGAS Issues



#### **LSDs**

- Current inventory is 12 LSDs (8/4)
- HQMC and OPNAV looking at moving LSD(X) procurement to the left.
- Optimally, looking to use the LPD17 hull form.
  - Doing so may realize cost savings for program
- Contractor could possibly keep production line "Hot" using LCC(R) as a bridge.
  - Depends on whether or not LCC(R) uses LPD17 hull form and if we can procure the additional (10th and 11th) LPD-17s.




# MAGTF OPS Working Group

## -Top-Ten-List

- 1. ESG VS PHIBGRU
- 2. LARGE SCALE EXERCISE LSE
- 3. L-CLASS SHIP MAINT FUNDING
- 4. HF ALE INTEGRATION / SAR
- 5. CLSM/ EMUT ANTENNA INSTALLMENT
- 6. DIGITAL SATCC
- 7. CBSP
- 8. GIG E INSTALLS
- 9. ESG/MEU SPACE INTEGRATION AND STANDARDS
- **10.LCU REPLACEMENT**


#### Recommendations to AMW OAG SWGs



# STATES MARINE

# Ship to Shore Connector (Joint Maritime Assault Craft)

- JMAC required to fill future gaps that the end of LCAC and LCAC SLEP Service Life will create
  - Key to future Joint surface assault and sustainment





## **Studies and Analysis**

- Ship Stability Weight and Moment Study
- Amphibious Assault Ship Well Deck Analysis
- NSE Organizational Structure ISO MCO N81
- Air Cushioned Vehicle SSC Requirements
   Study for AE and MPF(F) N81
- Evaluation of Alternate MPF(F) Squadron Composition Impact on Loads in LMSR and Offloadability Study - N81
- Mobility Capabilities Requirements Study (DOD)

### **Amphibious Programs**





# Program Overview LCAC SLEP

#### BUOYANCY BOX REFURBISHMENT

• Addresses Corrosion

#### Problem

- 20-Year Service Life
- Incorporates Hull Upgrades and

#### ROTATING MACHINERY REFURBISHMENT

- Extends Useful Life of Equipment
- Reduces Maintenance

## **ENHANCED ENGINES**

- Provides Additional Power
- Reduces Fuel Consumption
- Reduces Maintenance

#### **C4N REPLACEMENT**

- Introduces Open Architecture
- Introduces Modern COTS Equipment
- Provides Precision Navigation
- Provides Common Tactical Picture
- Provides Comm Suite Interoperability

#### **DEEP SKIRT**


- Reduces Drag
- Increases Performance Envelope
- Reduces Maintenance
- Increases Obstacle



## **Backups**



## LHA 6 Design



- Increased aircraft spotting factors for future Marine Corps aircraft as well as larger logistic footprint required hangar deck expansion and subsequent relocation of AVCAL (aviation test equipment, tools, parts etc.) and maintenance shops to the former well deck area
- Removal of well deck allowed for increased aviation fuel capacity through conversion of ballast tanks to JP-5 tanks



## Capability Comparison LHA vs. LHD vs. LHA(R)

Requirements	LHA	LHD	LHA(R)
A ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	•	10	(LHA 6)
Aviation: JSF	0	19	23
Aviation Maint (MV22)	Limited	Limited	Full (2 MV22)
Cargo (K cubic ft)	109	125	160
Vehicle (K square ft)	25.4	20.9	11.6
Troops	1,713	1,686	1,686
Well Deck Spots (LCAC)	1	3	0
JP-5 (K gallons)	400	617	1,300
Sustained Speed (kts)	22	22	22
Survivability (armor)	None	Limited	Add'l

**CAPABILITY VALIDATED BY JROC ON FEBRUARY 8, 2005** 

JROCM validated revised aviation, survivability and force protection KPPs on December 19, 2005



## LHA (R)Description

#### Mission

- Amphibious Assault with Aviation Focus
  - 9 Landing Spots
  - Supports tilt -rotor aircraft, helicopters, and STOVL aircraft

#### Support USMC Future Aviation Combat Element (ACE)

- MV 22
- JSF

#### Description

- Expanded Hangar Bay and aviation support facilities
  - Increased aviation fuel capacity
  - Increased aviation weapons storage capacity
  - Increased stowage for "aviation footprint"
- Deletion of well deck
- Enhanced survivability

#### Employment

- Provide forward presence and power projection, independently as an integral part of joint, interagency, and multinational maritime expeditionary forces.



## LANDING FORCE OFFICE SPACES BACKGROUND

- APR 04 MARFORLANT SUBMITTED LHD C2I SPACE CONFIG CONF
- OCT 05 SCD-187 APPROVED TO ADDRESS MARFORLANT C2I RECOM
- APR 06 26 MEU MAGTF SPACE UPGRADES FOR BATAAN ESG
- JUN 06 MARFORCOM ENDORSEMENT OF 26 MEU SPACE UPGRADES
- AUG 06 22 MEU ASSESSMENT OF AMPHIB SHIPPING

DEMAND SIGNALS FOR PROCESS



## DEVELOPING THE BASELINE

- IN ORDER TO AFFECT CHANGES / MODIFICATIONS, A UNIFORM STANDARD MUST BE DEVELOPED AND SCD'S SUBMITTED.
  - Develop an Interim Policy for approval of ship modification/change requests.
  - Staff the Baseline.
  - Incorporate Baseline into SCDs.
  - Provide a Process on how to incorporate future required capabilities into SCDs.

    THE WAY AHEAD WILL INCORPORATE SCD'S

FOR EACH SHIP CLASS



# EVOLUTION OF EQUIPMENT

```
_-M151 Jeep W/M416 Tlr (WT:2960 LBS)
        M998 HMMWV 1/1/4 T Trk(~6000 lbs)
              M998 HMMWV w/ MAK Armor (10,500
lbs)
-M48 Tank (104K lbs)
       M60 Tank (113,200 lbs)
              M1A1 Tank (138K lbs)
-CH46A (13K lbs)
        CH46E (15.5K lbs) (Basic/Empty)
              MV22 (33K lbs) (Basic/ Empty)
-CH53A (23K lbs)
       CH53D (23K lbs)
              CH53E (49K lbs)
ARMOR IMPACT
```

-MTVR with armor: ~10K lbs additional wt.

-HMMWV with armor: ~3K lbs additional wt.



## **MEU EQUIPMENT**

- MEU EQUIPMENT
- Current operations in the CENTCOM AOR have resulted in a program of up-armoring of almost all vehicles in the MEU. This program of up-armoring has resulted in the following challenges:
- Weight: The significant increase in vehicle weight has led to concerns to ship's stability and draft capacities.
- Space: The "up-armored" vehicles are larger than their unarmored counterparts and thus change the dynamic of ship loading.
- Crossing the beach: The weight of the new vehicles has made surf passages problematic. Off-load of vehicles is restricted to LCU ramps and LCAC.
- Solutions:
  - MEU enhancement package: Designed to provide up-armored vehicles to allow a MEU to operate in the CENTCOM AOR
  - Selected use of "Black-Bottom" shipping to move "excess" vehicles and equipment to projected employment areas (specifically CENTCOM AOR).



#### Overview LHD 7 vs LHD 8



LHD 7



LHD 8

 Propulsion total)

2 Steam Turbines (70K HP total) 2 Gas Turbines (70K BHP total) 2 Boilers

2 Auxiliary Prop. Motors (10K BHP)

• Electric Generation 5 SSTGs, 2.5 MW each 2 EDGs, 2.0 MW each

6 SSDGs 4.0 MW each

Electrical Distribution 450 VAC, Radial

4160/450 VAC, Zonal

Water Desalinization 2-100,000 GPD Evaporators

4-50.000 GPD RO Units

Auxiliaries

Steam/Electric

All Electric

 Machinery Control LAN

Local Control/Copper Wire

Central Control System/Fiber Optic

MMR Fire Protection HALON 1301

Water Mist



## Comparison With Existing Amphibs

LHD1

LHA

LENGTH (FT) 570 684 844 820 105 84 106 106 BEAM (FT) 26.7 23 26.7 **FULL LOAD DRAFT (FT)** 23 16,905 39,400 40,538 **FULL LOAD DISPL. (LT)** 24.900 PROPULSION PLANT STEAM \* DIESEL **STEAM STEAM** 22 21 22 22 **SUSTAINED SPEED (KTS** VEHICLE SQUARE (FT<sup>2</sup>) 25K 11.8K 20.9K 25.4K 38.3K 125K 105.9K **CARGO VOLUME (FT3)** 34K TROOPS 1,687 1,710 720 788 **LCAC** 3 1 1 **LANDING SPOTS** 9 10 4 2 420 1,204 1,247 **CREW** 361 **18 BEDs/ 60Rs** 24 BEDs/2 ORs MEDICAL CAPABILITY 12 BEDs/1 OR 64 BEDs/6 ORs 9,000 MOGAS CAPABILITY (GAL) 0 10,000\*\* 22,300

LPD 4

**LPD 17** 

<sup>•</sup>LHD 8 will have gas turbine propulsion.


<sup>•</sup>LPD-17 MOGAS reduced to 3000



## LCAC Systems Upgrade & LCAC SLEP

- Systems Upgrade
  - Rapidly replace obsolete equipment: Radios and Radars
    - Responsible for 67% craft down CASREPS
  - Deep Skirt
  - Corrosion Abatement

System Upgrade = 3-4 Months | SLEP = 9-12 Months





## Why an LCU(R)

- Current craft 12 24 yrs past ESL
- Performance and readiness degrading with age
- Current LCU wastes Well Deck space
- Current LCU is subject to broaching due to poor maneuverability
- Communications suite outdated and noninteroperable



## Katrina Shipbuilding Impact

LPD HULL	PRE-STORM DELIVERY	POST-STORM DELIVERY
LPD-17	07/05	NO IMPACT
LPD-18	1/06	12/06
LPD-19	03/06	03/07
LPD-20	10/06	12/07
LPD-21	8/07	04/08
LPD-22-25	NOT PROGRAMMED	NO IMPACT
LHD-8	7/07	Mid-08